Management of UTI in Children: Murky Waters

Aaron Friedman, MD

Over the course of the last 2 decades, the approach to the management of urinary tract infections (UTIs) in children has undergone considerable reconsideration. Areas such as screening urinalysis, method of urine collection, definition of a positive culture, imaging assessment after the diagnosis of UTI in children, medications for treatment, and mode of administration are examples of such reassessment.

In 2011, American Academy of Pediatrics (AAP) guidelines for the diagnosis and management of UTI in febrile infants and young children were published.¹ The guidelines were for children 2 to 24 months. However, the guidelines also provide a framework for the approach to older children as well. In particular, the guidelines strongly recommend urinalysis to support the presumptive use of antimicrobial therapy and urine culture for establishing the diagnosis of a UTI.

Shaikh et al.² in this issue of *Pediatrics*. demonstrate that certain urinary pathogens fail to reliably elicit pyuria. In 1181 children where both a urine culture and concomitant urinalysis were performed, only 87% of the time was pyuria found in the setting of a positive culture. The authors further found that Enterococcus, Klebsiella, and Pseudomonas species were less likely to elicit pyuria or a positive leukocyte esterase test despite causing a urinary tract infection.

So how does the urinalysis help? More pointedly, why do a urinalysis? The report by Shaikh et al² agrees with a previously published meta-analysis

that reveals pyuria to be absent in at least 10% of urines that culture positive.³ For a condition as common as UTI, this is too high a false-negative rate. Shaikh et al² conclude that a urine culture should be obtained in all children suspected of UTI. Indeed, the AAP guidelines are consistent with this statement. The AAP guidelines recognize that a clinician may have a low level of suspicion for UTI and may choose not to treat. However, given recent analyses of the utility of urinalysis and the report by Shaikh et al,² it is difficult to see how a negative urinalysis might reassure a clinician if there are signs of a UTI. Hence, if one is considering treating for presumptive UTI, a culture is needed. If one is considering waiting and not treating, but suspects a UTI, a culture is still needed. Shaikh et al² conclude that new biomarkers are needed if we really want help with the "point of care" testing. Although we wait for new biomarkers, we should recognize the limitations of a negative urinalysis and still get that urine culture.

ABBREVIATIONS

AAP: American Academy of Pediatrics

UTI: urinary tract infection

REFERENCES

1. Roberts KB; Subcommittee on Urinary Tract Infection, Steering Committee on Quality Improvement and Management. Urinary tract infection: clinical practice guideline for the diagnosis and management of the initial Department of Pediatrics, University of Minnesota, Minneapolis, Minnesota

Opinions expressed in these commentaries are those of the author and not necessarily those of the American Academy of Pediatrics or its Committees.

DOI: 10.1542/peds.2016-1247

Accepted for publication Apr 18, 2016

Address correspondence to Aaron Friedman, MD, 125 North Hamilton St, #905, Madison, WI 53703. E-mail: alfried@umn.edu

PEDIATRICS (ISSN Numbers: Print, 0031-4005; Online, 1098-4275).

Copyright @ 2016 by the American Academy of

FINANCIAL DISCLOSURE: The author has indicated he has no financial relationships relevant to this article to disclose.

FUNDING: No external funding.

POTENTIAL CONFLICT OF INTEREST: The author has indicated he has no potential conflicts of interest to disclose

COMPANION PAPER: A companion to this article can be found on online at www.pediatrics.org/cgi/ doi/10.1542/peds.2016-0087.

To cite: Friedman A. Management of UTI in Children: Murky Waters. Pediatrics. 2016;138(1): e20161247

- UTI in febrile infants and children 2 to 24 months. *Pediatrics*. 2011;128(3): 595–610
- 2. Shaikh N, Shope T, Hoberman A, Vigliotti A, Kurs-Lasky M,
- Martin JM. Association between uropathogen and pyuria. *Pediatrics*. 2016;138(1):e20160087
- 3. Williams GJ, Macaskill P, Chan SF, Turner RM, Hodson E, Craig JC.

Absolute and relative accuracy of rapid urine tests for urinary tract infection in children: a meta-analysis. *Lancet Infect Dis.* 2010;10(4): 240–250

Management of UTI in Children: Murky Waters

Aaron Friedman

Pediatrics 2016;138;; originally published online June 21, 2016;

DOI: 10.1542/peds.2016-1247

Updated Information & including high resolution figures, can be found at:

Services /content/138/1/e20161247.full.html

References This article cites 2 articles, 1 of which can be accessed free

at:

/content/138/1/e20161247.full.html#ref-list-1

Citations This article has been cited by 1 HighWire-hosted articles:

/content/138/1/e20161247.full.html#related-urls

Subspecialty Collections This article, along with others on similar topics, appears in

the following collection(s):

Infectious Disease /cgi/collection/infectious_diseases_sub

Urology

/cgi/collection/urology_sub Genitourinary Disorders

/cgi/collection/genitourinary_disorders_sub

Permissions & Licensing Information about reproducing this article in parts (figures,

tables) or in its entirety can be found online at:

/site/misc/Permissions.xhtml

Reprints Information about ordering reprints can be found online:

/site/misc/reprints.xhtml

PEDIATRICS is the official journal of the American Academy of Pediatrics. A monthly publication, it has been published continuously since 1948. PEDIATRICS is owned, published, and trademarked by the American Academy of Pediatrics, 141 Northwest Point Boulevard, Elk Grove Village, Illinois, 60007. Copyright © 2016 by the American Academy of Pediatrics. All rights reserved. Print ISSN: 0031-4005. Online ISSN: 1098-4275.



PEDIATRICS[®]

OFFICIAL JOURNAL OF THE AMERICAN ACADEMY OF PEDIATRICS

Management of UTI in Children: Murky Waters

Aaron Friedman

Pediatrics 2016;138;; originally published online June 21, 2016;
DOI: 10.1542/peds.2016-1247

The online version of this article, along with updated information and services, is located on the World Wide Web at:

/content/138/1/e20161247.full.html

PEDIATRICS is the official journal of the American Academy of Pediatrics. A monthly publication, it has been published continuously since 1948. PEDIATRICS is owned, published, and trademarked by the American Academy of Pediatrics, 141 Northwest Point Boulevard, Elk Grove Village, Illinois, 60007. Copyright © 2016 by the American Academy of Pediatrics. All rights reserved. Print ISSN: 0031-4005. Online ISSN: 1098-4275.

